



House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

Date Range: 10/29/2023 through 11/4/2023

Perimeter Air Monitoring Station Summary
PM10 (Dust) and Volatile Organic Compounds (VOCs)

Dust (PM-10) Project Action Level – 150 $\mu\text{g}/\text{m}^3$
VOC Project Action Level – 5 ppm


Station 1- AQS1 10072023-2370 (Blue) North Perimeter

Station 2- AQS1 10072023-2371 (Red) East Perimeter

Station 3- AQS1 23092021-1781 (Green) South Perimeter

Station 4- DS 11122020-1470A (Yellow) West Perimeter

VOCs






House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

Dust (PM10)

Weekly Update PM10



Notes:

1. Weekly VOC calibration was on 10/30/2023.
2. On site work commences at approximately 7:00 am and stops at approximately 17:00 daily.
3. Contractor working days are Monday through Friday
4. Short-Term Response Levels at the fence line are: Dust 150 ug/m³ for 15 minutes and Total VOCs 0.5 ppm for 15 minutes.



House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

HOW TO READ A WEEKLY REPORT

