



House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

Date Range:
July 7, 2024 through July 13, 2024

Perimeter Air Monitoring Station Summary
Volatile Organic Compounds (VOCs), PM10 (Dust), Wind Direction

Dust (PM-10) Project Action Level – 150 $\mu\text{g}/\text{m}^3$
VOC Project Action Level – 5 ppm


Station 1- AQS1 10072023-2370 (Blue) North Perimeter

Station 2- AQS1 10072023-2371 (Red) East Perimeter

Station 3- AQS1 23092021-1781 (Green) South Perimeter

Station 4- DS 11122020-1470A (Yellow) West Perimeter


VOCs





House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan


Dust (PM10)





House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

Wind Rose



Notes:

1. Weekly VOC calibration was on 7/12/2024.
2. On site work commences at approximately 7:00 am and stops at approximately 17:00 daily.
3. Contractor working days are Monday through Friday.
4. Short-Term Response Levels at the fence line are: Dust 150 $\mu\text{g}/\text{m}^3$ for 15 minutes and Total VOCs 0.5 ppm for 15 minutes.
5. Directions shown on Wind Rose are the direction the wind is blowing from.



House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

HOW TO READ A WEEKLY REPORT

