



House Street Property – Capping Activities  
1855 House Street NE  
Belmont, Plainfield Township, Michigan

**Date Range:**

October 6, 2024 through  
October 12, 2024

**Perimeter Air Monitoring Station Summary**  
Volatile Organic Compounds (VOCs), PM10 (Dust), Wind Direction

**Dust (PM-10) Project Action Level – 150  $\mu\text{g}/\text{m}^3$**


**VOC Project Action Level – 5 ppm**

Station 1- AQS1 10072023-2370 (Blue) North Perimeter

Station 2- AQS1 10072023-2371 (Red) East Perimeter

Station 3- AQS1 23092021-1781 (Green) South Perimeter


Station 4- DS 11122020-1470A (Yellow) West Perimeter





House Street Property – Capping Activities  
1855 House Street NE  
Belmont, Plainfield Township, Michigan


Dust (PM10)





House Street Property – Capping Activities  
1855 House Street NE  
Belmont, Plainfield Township, Michigan

## Wind Rose



### Notes:

1. Weekly VOC calibration was on 10/11/2024.
2. On site work commences at approximately 7:30 am and stops at approximately 17:30 daily.
3. Contractor working days are Monday through Friday.
4. Short-Term Response Levels at the fence line are: Dust 150  $\mu\text{g}/\text{m}^3$  for 15 minutes and Total VOCs 0.5 ppm for 15 minutes.
5. Directions shown on Wind Rose are the direction the wind is blowing from.



House Street Property – Capping Activities  
1855 House Street NE  
Belmont, Plainfield Township, Michigan

## HOW TO READ A WEEKLY REPORT

