



House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

Date Range:

April 13, 2025 through
April 19, 2025

Perimeter Air Monitoring Station Summary
Volatile Organic Compounds (VOCs), PM10 (Dust), Wind Direction


Dust (PM-10) Project Action Level – 150 $\mu\text{g}/\text{m}^3$
VOC Project Action Level – 5 ppm

Station 1- AQS1 10072023-2370 (Blue) North Perimeter

Station 2- AQS1 10072023-2371 (Red) East Perimeter

Station 3- AQS1 23092021-1781 (Green) South Perimeter


Station 4- DS 11122020-1470A (Yellow) West Perimeter





House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan


Dust (PM10)





House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

Wind Rose



Notes:

1. Weekly VOC calibration was on 04/18/2025.
2. On site work commences at approximately 7:30 am and stops at approximately 17:30 daily. Earth work began for the construction season on 04/13/25.
3. Contractor working days during the week of 4/13/2025 were Monday through Friday.
4. Short-Term Response Levels at the fence line are: Dust 150 ug/m³ for 15 minutes and Total VOCs 0.5 ppm for 15 minutes.
5. Directions shown on Wind Rose are the direction the wind is blowing from.



House Street Property – Capping Activities
1855 House Street NE
Belmont, Plainfield Township, Michigan

HOW TO READ A WEEKLY REPORT

